


 **Key Systems** INC
www.keystorage.com





96-Key Panel



64-Key Panel



32-Key Panel



16-Key Panel



8-Key Panel

Table of Contents

2	Security Asset Manager
4	Cloud: Plug and Play
4	Medeco SAM XT
5	GFMS: In the Cloud
6	SAM Electronic Lockers
8	SWATBox®
8	SurfaceSWAT
9	Custom Designs
9	SAM / SWAT Direct Control
10	Vel-Key® Products
11	Tamper-Proof Key Rings®
12	KSI® Smart ID Devices
14	Chit-Key Vault
15	SOC Access
16	Asset Tracker
17	Global Facilities Management System (GFMS) Software
19	Integration Options
20	Product Specifications

Chit-Key Vault™

Material: 18-gauge brushed stainless steel
Locks: ¾" High Security Cam Lock (¾" standard, supports ⅝" - 1¼" L)
Interchangeable core (small or large format)
Mortise cylinder (customer supplied - call for details)

Vaults	W	H	D	Weight
1 Tandem Position	3¾"	6"	3¾"	3 lbs.
6 Tandem Positions	11¼"	13¼"	5"	15 lbs.

Other Item	W	H	D	Weight
Tamper Evident Key Tags	⅜"	1½"	⅝"	4.1 g
Capacity		Colors		
1-5 Keys		Red White		

Multi-Chit Panel

Material: 16-gauge Powder Coated Steel
Locks: ¾" High Security cam lock (¾" standard, supports ⅝" - 1¼" L)
Interchangeable core (small or large format)
Mortise cylinder (customer supplied - call for details)

Panels	W	H	D	Weight
20-Key SFIC, LFIC, ¾" Cam Lock or Mortise cylinder	24"	12½"	2¼"	20 lbs.
50-Key SFIC, LFIC, ¾" Cam Lock or Mortise cylinder	24"	28½"	2¼"	45 lbs.
(See Multi-Chit SAM™ on previous page)				

Chit-Key Vaults™ and Multi-Chit Panels can also be used electronically with Security Asset Managers™ (SAMs™) and GFMS™.

SOUTH AFRICA

Malope Monitoring Solutions
42 Fairbridge street, Parkrand, 1459
P.O. Box 9344, Cinda Park, Boksburg, 1463

Sales & Customer Service
Tel: +27 10 444 0184
Fax: +27 11 896 1053
Email: hoseam@malopems.com
info@malopems.com
www.malopems.com

Pantone® is a registered trademark of Pantone LLC. Lexan® is a registered trademark of Sabic Global Technologies B.V. Bluetooth® and the Bluetooth "B" emblem are registered trademarks of Bluetooth SIG, Inc. Apple® is a registered trademark of Apple Computer, Inc. Android® is a registered trademark of Google, Inc. Vel-Key® and Velcro® are registered trademarks of Velcro Industries B.V. C-CURE® is a registered trademark of Sensomatic Electronics, LLC, d/b/a Tyco Security Products. Symmetry™ is a trademark of AMAG Technology, Inc. Security Center™ and Genetec™ are trademarks of Genetec, Inc. Wi-Q™, BEST®, and Stanley® are trademarks of Stanley Security Solutions, Inc. OnGuard® and Lenel® are registered trademarks of Lenel Systems International, Inc. Schlage® is a registered trademark of Schlage Lock Company LLC. Sargent® is a registered trademark of Sargent Manufacturing Company. Medeco® is a registered trademark of Medeco Security Locks, Inc. Yale® is a registered trademark of Yale Security, Inc. ASSA® is a registered trademark of ASSA AB Corporation. Corbin Russwin® is a registered trademark of Corbin Russwin, Inc. Microsoft®, Windows®, Windows Server®, and SQL Server® are registered trademarks of Microsoft Corporation. cradlepoint® is a federally registered trademark of CradlePoint, Inc., of Boise, ID, www.cradlepoint.com. Amazon and EC2 are trademarks, registered trademarks or trade dress of Amazon in the United States and/or other countries.

Products shown herein may be covered by issued or pending U.S. or Canadian patents. Actual product may vary from images shown (i.e. doors of SAMs™ and Chit-Key Vaults have been removed for image clarity). Product specifications subject to change without notice.

Copyright 2018 Key Systems, Inc. All rights reserved.

KSI® Certified Training

- *Through Web Conferencing*
- *At Your Site*
- *At Our Facilities*

Key Systems, Inc. will provide live product demonstrations for potential customers and training for new and existing customers. Normal business hours are Monday through Friday, 9 A.M. until 5 P.M. EST.

Through the use of web conferencing, our technical support team has the ability to interact directly with your system for speedy diagnosis of issues and interactive training sessions. Please contact us to see a demonstration of our GFMS™ software and the capabilities of our support through remote access.

Technical Support

585-924-7810
24 Hours a Day,
7 Days a Week.

Key Systems, Inc.'s technical support is available 24 hours a day, 7 days a week. In addition to troubleshooting issues, we provide technical service for all phases of your experience with KSI's products. Technicians are available to help plan and prepare for the installation of new systems as well as the install of Key Systems, Inc.'s multiple software applications and hardware configurations.

Our technicians provide software and hardware support at any time, but any members of our engineering team are also available for support.



Key Systems INC
www.keystorage.com



Visit KSI at these Trade Shows:

ISC West

ISC East

ACA Summer

ACA Winter

GSX

G2E

Welcome

Key Systems, Inc.'s engineering department is constantly adding new and exciting products to our existing lineup of network ready, web enabled, asset control and monitoring devices.

We understand that your facility's security is of the utmost priority and thus we make it our priority to design a product that fits your need. From storing keys, cards, firearms, and medical supplies to facility wide access and exit monitoring, we provide your solution in both form and function.



www.keystorage.com

2 - SECURITY ASSET MANAGER™

Highest Security Asset Control



Key Systems, Inc. offers several styles of electronically controlled cabinets to store, audit, and manage your keys and assets. You can personalize these devices to secure a wide variety of sensitive items. Keys remain our customers' main focus for asset retention. The two most widely utilized methods for storing keys are through direct entrapment and/or Tamper-Proof Key Rings® within our Security Asset Managers, or SAMs. Access to assets is assigned to one or more users based on configuration through GFMS™ Software. PIN access comes standard, but a host of other access options are available.



Powered by GFMS Software:

- Real Time Events
- Reporting & Alerts
- Custom Admin Roles
- Multi-User Rules

Direct Entrapment



Key Systems, Inc.'s Security Asset Manager (SAM) utilizes a variety of methods to secure your assets. To achieve the greatest level of security for high sensitivity keys, we offer direct entrapment in dedicated key positions. Your master keys are locked in place, concealing their profile and providing absolute protection from tampering.

Interchangeable Cores

To achieve direct entrapment, your interchangeable core may be installed within our position housings. This allows for custom placement of locks and convenient rekeying should the need arise.

Interchangeable core housing options are available for Small Format, Large Format, and Mogul style keyways.



Tamper-Proof Key Rings®

Achieve greater flexibility within your SAM, allowing multiple keys to be secured using a single key position. Our key rings are serialized and made from durable stainless steel.



Tamper-Proof Key Rings® may also be used with our non-electronic products.



ID Options



PIN



Proximity



Fingerprint Readers



Card Swipe



Hand Readers



Scale

Smart Plugs

Add unique ID to tracked assets using our Smart Plugs and Tamper-Proof Key Rings. Assets can then be returned to any position. The latching option secures assets against unauthorized removal.



Locks

Our proprietary KSI® cam locks are available to populate key storage positions. Retainment by most lock styles including small and large format IC is also available.

Pockets

Secure small electronics, such as pagers, phones, or key fobs.



External & Internal Cards

External Cards are secured by the locked key position, while Internal Cards are concealed within the SAM for added security.

SAM SRP

Populate your SAM with Key Hooks for versatile asset storage and easy labeling.



Touch Screen

The touch screen keypad is available as an alternative to the tactile and capacitance keypads.

Custom Colors

SAMs and lockers come standard in a gray powder-coated steel. Custom colors are optional and require a Pantone® number for matching.



Door Options

Clear Lexan® Doors provide fast and easy visual audit of assets. Extended Doors increase capacity to accommodate large assets.

4 - CLOUD: PLUG AND PLAY



This wireless communication option is available for use with any KSI GFMS-ready device such as SAMs and lockers. This application is ideal for remote sites without internet access.

Plug-and-Play

No IT department necessary to setup and/or manage.

Wireless

Cellular antennae & modem.

No Internal Network Required

Convenient solution where web access is not permitted or available.

GFMS in the Cloud

Use of cradlepoint requires GFMS cloud services. Free cloud service for one year included.

4 - MEDECO® XT SPC

Efficient Enrollment

Barcode reader provides fast and easy administrative enrollment and removal of users at the SAM.

Configurable Keypad

Satellite touch screen and barcode reader can be located in a variety of locations to accommodate your needs.

XT Key Functionality

Charges and programs XT. SAMs available in 32 or 64 XT key capacity.



GFMS: IN THE CLOUD - 5

KSI's GFMS Cloud Services™ offer customers a virtual IT department providing easy, safe and easy access to applications, resources and services - a turn-key solution that keeps data secure and costs low. Our cloud capabilities allow our customers to focus on their core business, while our team oversees the server, licensing and matters relating to installs and upgrades.

GFMS Features

- Monitor asset activity.
- Run reports.
- Generate Alerts.
- Manage/control access to assets.

Cloud Benefits



REQUIREMENTS

- Current active warranty.
- Internet connection and a computer or internet-enabled device.
- Own a KSI® GFMS-enabled device(s) that is powered and connected to the internet.

EXISTING CUSTOMERS

If you are an existing customer looking to switch to the cloud solution, contact your representative to determine the compatibility of your equipment.

GFMS Cloud Services™ offers customers:

- GFMS Cloud Services™ eliminates any physical or virtual server licensing costs, database costs and IT overhead.
- Low cost per month.
- IT "less" solution (great for small businesses with limited staff).
- KSI handles server maintenance, patches and upgrades. Backups included with this service.
- Available globally.
- Free software support and training 24/7.
- Allows for remote access to key boxes. Manage multiple locations across different time zones with the same GFMS installation.
- Monitor key boxes, run reports, and control access to assets from any location with an active internet connection.
- All data transmission is safely encrypted using SSL/HTTPS.
- GFMS Cloud Services™ is hosted by Amazon's EC2 architecture and is subject to their SLA / Monthly Uptime Percentage of 99.95%.

6 - SAM ELECTRONIC LOCKERS



ID Options



PIN



Fingerprint Readers



Hand Readers



Proximity



Card Swipe



Scale

Asset Retention

Electronically controlled lockers may be modified in a wide variety of ways to accommodate the needs of your facility.

Firearms, medical equipment, shop tools, expensive electronics, etc. – our locker solutions are in place around the world controlling access to a range of assets in a vast array of shapes and sizes. Locker access is controlled by GFMS™ Software allowing these cabinets to integrate with our wide family of SAM products. Available features include AC power charging of stored assets and USB identification.



• Door Control

- Controls and monitors access to individual lockers

• User Designated Asset Management

- Controls and monitors access to individual lockers
- Asset status is indicated by user as Removed, Returned, or Defective

• Barcode Asset Management

- Controls and monitors access to individual assets
- Assets are identified by a BarCode ID and are indicated as Removed, Returned, or Defective

• Electronic Smart ID Asset Management

- Controls and monitors access to individual assets
- Assets are identified by a Smart ID adapter and are indicated as Removed, Returned, or Defective
- Live monitoring of asset presence with Smart ID adapter as Removed, Returned, or Defective



Powered by
GFMS Software:

- Real Time Events
- Reporting & Alerts
- Custom Admin Roles
- Multi-User Rules

Compartments

Offered in a variety of layouts and sizes. Compartment SAMs enable you to secure and monitor even the smallest of assets in individual locked compartments.



Laptops

Our laptop lockers can accommodate any size laptop, as well as provide network and power charging access.

Radios

Radios may be secured and charged while housed within a locker. A clear door adds a visual audit.



Tablets

KSI Tablet Lockers can securely store and charge multiple tablets and are available in a variety of sizes to accommodate a variety of devices. Some devices may be identifiable through USB ID.

Guns / Ammo

Lockers can provide separate storage of weapons and ammunition. Lockers can be loaded from the front, back, or both.



Internal Lighting

LED lighting is available for a quick visual audit.



8 - SWATBox®

Remote Access


The SWATBox® features an embedded install which conceals physical assets within your facility wall and away from public view. Use PIN, ID device, or any web enabled device (e.g., laptop, smart phone) to gain access to assets on the spot. Our solar powered model allows you to secure and monitor assets in remote or unmanned locations.



Fobs



Keys



Cavity for Asset Storage

SWATBox Direct Connect

The "Direct Connect" version of SWATBox provides a secure storage drawer that can be embedded in a wall and unlocked remotely. Once unlocked, a user simply pushes on the face plate to release and open the drawer for access to the drawer's interior.



8 - SURFACE SWAT™

Storage Container Access

The stored key is retained in an electronic stainless steel vault that is weather-proof and vandal resistant. Keypad or card reader user ID gives access to the vault. All vaults are connected to a central database by Ethernet. Web based programming controls who gains what when. Secure web enabled devices can be used to remotely release assets.




The key pad is capacitance based with no moving parts. It is weather proof and has no moving membrane or mechanical switches to wear out. The unit is complete with an emergency release and can be mounted with two threaded receivers on the back to receive bolts from inside the secure area. The SurfaceSWAT™ is also compatible with SOC technology.

Approx physical size:
4.63" W x 7.63" H x 3.50" D




CUSTOM DESIGNS - 9



Custom Layout and Key Spacing

All of our products can be designed around your needs. Custom lock spacing is available to accommodate large assets, key rings and multiple asset types. Request a panel drawing to choose your own custom layout for your SAM panel. Lockers can also be individualized based on your requested dimensions.



DIRECT CONTROL SAM / SWAT - 9

Your Access Control Ready Solutions

Many KSI® Security Asset Managers (SAMs) and SWATBoxes are available in “Direct Control” versions. These are units from which the embedded systems that power our standard devices are omitted. This option can appeal to those who seek direct control over every position and door of a device without intermediary computing hardware and/or software. Direct Control SAM is ready for access control, featuring clearly marked pass-through row boards with screw terminals for easy connection to an existing control system. In addition, Direct Control SAM can include almost all options* found in the standard SAM line, such as a variety of lock types, direct entrapment of important or master keys, compatibility with Tamper-Proof Key Rings®, and more.



*Smart ID and other options requiring an embedded system are not available for SAM Direct Connect.

10 - Vel-Key® PRODUCTS



Securing and Organizing Keys Made Simple

Vel-Key® brand fastener tags are durable, plastic tags designed to bring order to your key population. One side of the tag features a looped-back Velcro® brand fastener strip that attaches and detaches as needed; the flip side is used for labeling.



Zipper Case



- Light weight folding zipper case
- Professional looking organization
- Small Case: 24 Vel-Key® tag Capacity
- Large Case: 48 Vel-Key® tag Capacity


Vel-Key® File




- Three-hole punched
- Made of sturdy plastic
- Fits in most filing systems and binders
- Holds up to 22 Vel-Key® tags for keys, flash drives, etc.
- Card File holds up to 10 key/card tags on horizontal Velcro® brand fastener strips

TAMPER-PROOF KEY RINGS® - 11

The Industry Standard Among Security Professionals



Strict tolerances provide you with the ultimate in strength and durability. Our popular Tamper-Proof Key Rings® provide an added layer of protection for your most valuable assets – from keys and utility knives to medical equipment and cash tills. These high-security, stainless steel rings cannot be opened without detection, thus preventing asset substitution.



Each size of Tamper-Proof Key Ring® is available in both solid and flexible braided stainless steel. Both solid and flex rings are sealed with our same Crimping Tool.

Flexible Rings




Color Coded Control

The only plastic we use with our Tamper-Proof Key Rings® is the color coded tags. Five colors are available to help group key rings for quick identification.

Unique ID

Every ring is stamped with a unique serial number. This permanent ID provides a tool to audit both rings and the attached assets, preventing substitution.



Smooth Seal

All styles of Tamper-Proof Key Rings® crimp to a smooth seal. Attached keys and assets are free to rotate the full 360 degrees of the ring to prevent bunching. Once broken, the ring cannot be re-crimped.

Tools

Unique tools prevent the substitution of alternative key rings.

The Closing Tool

Closes and holds solid rings shut in preparation for crimping.



The Crimping Tool

Clamps down to create our smooth seal on both solid and flex rings.



The Cutting Tool

Used to permanently cut open the key ring seal in order to remove keys or assets.



Material	Stainless Steel
Ring Thickness	4mm
Material	Stranded Stainless Steel
Ring Thickness	2.6mm cable 4mm seal

Diameter	Key Capacity*
1" (3cm)	14
1½" (4cm)	22
2" (5cm)	30
3" (7cm)	46
4" (9cm)	66

*Key Capacity is in terms of standard builders hardware


Stainless Steel 1" Diameter Rings are also available in 2.4mm.

12 - KSI SMART ID MONITORING DEVICES

Securing your assets provides peace of mind and adds safety to your organization. By adding KSI's unique electronic ID capabilities to your assets, we can watch, secure and inventory your products with our SAM cabinets and GFMS software. KSI has the ability to manufacture custom smart attachments to fit your device.

Our capabilities include:

- Adhere technology
- Shelf tracking systems
- Antenna clamps for tracking radio presence in a locker
- Electronic access to your assets
- Secure a laptop
- Temperature monitor
- Bicycle monitor




OC Spray Station

- Controlled distribution and removal from service.
- Canister weigh station with monitoring system to ensure capacity standards.
- Cabinets are available for various sized canisters, including MK3 and MK4. Dispensary and disposal cabinets are available in 20, 40, or 80 canister capacities.
- KSI SmartButtons allow for individual canister tracking.



KSI Smart Plug

Provides latched or unlatched storage in our SAMs. A reinforced option is also available for heavier assets.



KSI Satellite™

The KSI Satellite™ is a multi-function access point to your network of GFMS Software and Security Asset Managers. Enrollment, authorization, information, and much more are no longer limited to the locations where assets are stored. This compact device expands your access to the GFMS network with additional functionality and additional points of interaction.

Electronic Access of Key File Cabinet Storage

These cabinets electronically control access to your assets and track all usage. They run on your network powered by Key Systems, Inc. GFMS software and monitor user actions, generate reports, and more. Each position, panel, and drawer is identified by its own LED to direct the user to the location of their assigned asset.

KEY POST



SERIALIZED TIE



SERIALIZED RING



Lateral File Cabinets:

2-Drawer

Height: 28"

Depth: 18.625"

4-Drawer

Height: 52.5"

Depth: 18.625"



14 - CHIT-KEY VAULT™

“Insert a Key to Release a Key”

Six-Position Chit-Key Vault™

This Chit-Key Vault™ holds six tandem locks. These locks may optionally be mastered to control the front door of the Chit-Key Vault™.

Common pinning the door lock and interior locks is possible and customer provided.



**One-Position
Chit-Key Vault™**

Chit-Key Vaults™ and Panels provide a simple and clever technique to ensure the safe return of keys. All locks work in tandem so that the two keys may never be released at the same time. Securing the first position (control key) in place, the second position (user key) is mechanically free to be removed. The control key is then locked in place until the safe return of the user key.

Chit-Key Vaults™ come in two sizes of 18-gauge brushed stainless steel. These vaults may be customized to any size with a variety of lock options to meet your requests.



The Multi-Chit Panel

Chit-Key solutions are perfect for customers who do not require electronically controlled assets. Multi-Chit Panels may be configured to hold up to 50 tandem locks at one time.


Multi-Chit Panels may be mounted standalone or housed within a SAM with optional electronic door control.



SOC Access - 15

KSI's Security Operations Center (SOC) products provide a centralized system which offers consumers a cost effective security solution, ideal for remote locations. SOC devices can be placed in and around a facility and do not require network access or dedicated power. Typically, a SOC device is equipped for door entry, asset storage, and emergency key retrieval. An audit trail for all transactions occurring at the device is provided by external call center or secure website.

Security Operations Center (SOC)



SOC Communication Via Phone or Web

The Security Operations Center can be based in a call center or powered by a secure web interface. The SOC provides an audit trail for data such as device location, user ID, time of transaction, and more.


Secure Devices



Many Device Styles Available

Many devices support the SOC interface. Common examples provide Door Entry, Emergency Key Access, and Asset Storage in a Locker. KSI can also engineer a device to fit your unique need.

How to Access a Device:



*PINs and Challenge codes are single-use only and expire once used.

Device is configurable as:

- Padlocks
- Meter Locks
- Panel Locks
- Probe Locks
- Keypads with Contact Closures
- SAMs or SWATBoxes
- Custom Designs Available


Features:

- **Dedicated Power Not Required**
Hard wiring or internal battery power are optional but not required. Devices can be powered only as needed with the application of a 9-volt battery.
- **Risk-Free Communication**
All communication and data is handled externally through the call center rather than in the device. There is also no network connection to the device to make it vulnerable to network tampering. Each time the device is accessed, a unique PIN is generated, then discarded.
- **Durable and Weather-proof**
Devices are approved for both indoor and outdoor use.

16 - ASSET TRACKER

Inside and Outside With No Monthly Tracking Fees

Security Asset Manager (SAM™)



* Due to their operating system, Android and Google may experience occasional disconnect from the tracker unit, as all low energy blue tooth devices may encounter.

GLOBAL FACILITIES MANAGEMENT SYSTEM - 17

Cloud-Based


Server-Based

Local PC-Based



GFMS™ combines sophisticated and adaptable, web enabled, PC-based software with no client installs. Low maintenance applications emphasizing systems integration and simple design for security are the cornerstones of our philosophy towards system management.

Key Systems, Inc. will help you formulate an asset management strategy specific to your facility's requirements, regardless of size, scope and pre-existing technology.



• Browser Based Global Access

Built-in functionality allows for use of any web enabled device (PC, laptop, smart phone) to manage and monitor your GFMS™ database, as well as alarms and system status.

• Real Time Event Processing

GFMS™ processes all SAM events in real time for instant access to alarms and event monitoring.

• Security

The GFMS™ software supports SSL certificates to allow application information to be safely encrypted and transmitted.

• Time Zone Management Worldwide


Whether the boundaries of your system extend across the country or around the world, GFMS™ Software gives you the ability to synchronize time zone information to ensure accurate reporting and asset accessibility.

18 - GLOBAL FACILITIES MANAGEMENT SYSTEM

Cloud-Based

Server-Based

Local PC-Based



• Automatic Alerts & Report Scheduling

GFMS™ Software allows you to schedule transaction reports for delivery to your inbox automatically. Additionally, you may configure automated SMS or email alerts for critical notifications or simply to remind a user to return a key.

• Custom Administration Roles

Delegate control of keys and users within your organization via GFMS System groups. Administrators can be assigned systems to run, and their view and control limited only to those systems within the GFMS database.

• Multi-User Rule Engine

The powerful GFMS™ rules engine enables the creation of unique, custom made access rules to ensure that high security assets are never removed by any single user.

Software/Firmware Updates

As GFMS™ evolves to meet your needs, updates to your system can be handled remotely in minutes without any interruption in the operation of your system. Firmware updates to your hardware are handled directly through the GFMS™ Software.

GFMS Server Requirements

- Microsoft® Windows Server® 2016 / 2012 / 2008 R2 / Microsoft® Windows® 8/8.1/10
- 5 GB hard disk space reserved for database; 2 GB RAM
- 100 MB wired network connection


GFMS™ Install

- GFMS™ manages and monitors all Key Systems, Inc. electronic cabinets
- GFMS™ is database portable and may be implemented with our included database install or your existing data management infrastructure (Examples include Microsoft® SQL Server® 2016, 2014, 2012, 2008)
- Our browser based software eliminates the need for client install of GFMS™. Alternatives to our included software web server may be used to host GFMS™ (Examples include Microsoft® IIS10, IIS8, IIS8.5, IIS7, IIS7.5)

Standalone: Worry Free Scalability

Because GFMS is a browser-based app, you get the great performance and easy-to-use interface without the headache of client installations and maintenance on your workstations.

Protect and track your assets. Hassle-free.



INTEGRATION OPTIONS - 19

GFMS Integrator

Key Systems, Inc. GFMS Integrator is a secure platform for integrating the GFMS asset management software with third party software. Built on top of the functionality of GFMS Integrator, a system specific driver provides features that make for seamless management of Security Asset Managers in your system's environment.



OnGuard® (Lenel®)

- Real-time updates of critical employee data (like updated badges and terminations) directly to KSI® devices.
- Program access to keys and key groups in your OnGuard® Access Level menu. No new screens to learn.
- KSI® events flow into OnGuard® Alarm Monitor and reports.
- Automatically disable access levels when keys are removed, and grant them back when they are returned.

Symmetry™ (AMAG™)

- Real-time updates of critical employee data (like updated badges and terminations) directly to KSI® devices.
- Program access to key groups within software environment
- KSI® events flow into software.

GFMS Sync Tool

• Access Control
• Human Resources
• Exit Control
• Payroll
• Time & Attendance
• Fire Systems
• Video Systems
• Building Management
• CRM
• Incident Reporting

GMFS Sync Tool sets up your GFMS for management through your existing system.



Update Data

- Groups
- Names
- Email
- Status

Data source can be csv, spreadsheet database (SQL Server, Oracle, MySQL, MSAccess)




- Increase security by ensuring consistent data across your access control environment.
- Unlimited number of users synchronized to your database source on a scheduled basis.
- Make use of your existing data automatically.
- Keep your asset manager current.

Security Asset Manager XML API

Third Party Application

SAM XML API

- User Data
- Groups / Roles
- Time Zones
- Real-Time Event Data
- Rules Engine
- Asset Reservation




For developers, the SAM XML API offers the opportunity to completely control our Security Asset Managers through your custom application without the use of GFMS.

- SAM XML API is the platform through which developers may manage and control SAM devices.
- A developer may choose to utilize SAM XML API if they wish GFMS software to not be part of their system.
- The SAM XML API is also how GFMS software controls and manages the SAM.

Your Access Control Ready






Your Access Control Ready is a hardware only solution, no software required. Your access control system is wired directly to the SAM.



SAM STANDARD Configurations


Security Asset Manager™ Steel Cabinet Sizes

Call Key Systems, Inc. for information
on additional product configurations:
(800) 888 - 3553



	Weight (Approximate)	20 lbs.	20 lbs.	45 lbs.	65 lbs.	120 lbs.
Standard - Keys	Positions	8	16	32	64	96
Internal/External Cards	Positions	n/a	12 / 10	20 / 20	35 / 36	56 / 54
Electronic Locker	Available Size	n/a	Y	Y	Y	Y
SRP - Hooks	Positions	n/a	94	166	306	482
KSI SmartPlug	Positions	n/a	40	72	144	208
KSI SmartPlug HD	Positions	n/a	12	20	40	60
Multi-Compartment	Call for Info	n/a	Y	Y	Y	Y
Multi-Chit	Positions	n/a	10	20	32	48

SWATBox™




Storage Options*

Interchangeable Core
Smart Fobs
Card
Cavity for Assets
*Combined Options Available - Call for Information

W	H	D	Bezel Diameter
3 1/2"	5 1/4"	6 1/4"	6" Circular Mounting Plate
SurfaceSWAT Dimensions			
	4.63"	7.63"	3.5"

OC Spray Station

Dispenser



Disposal


OC Spray Station Dimensions

W	H	D
38 1/4"	15 1/2"	9 3/4"
42 1/2"	18 3/8"	10 3/8"
45 1/4"	27 1/4"	12"

Canister Capacity

Left Door	Right Door
20	20
40	20
80	20

Asset Vault (Tool Cabinet)



60 Asset Connections
1 Adjustable Shelf With Hardware
Expandable
Weight 66 lbs.

Dimensions	W	H	D
External	36 1/4"	42"	13 1/4"

Supported Core Styles

KSI® Cam Lock
Stanley® / BEST®
Schlage®
Medeco®
Yale® 6 Pin
ASSA®
Sargent®
Corbin Russwin®

Mix and match key styles within a panel to fit your needs. Other styles available - call for information.

Tamper-Proof Key Rings®

Solid Rings:

Material Stainless Steel
Ring Thickness 4mm

Flexible Rings:

Material Stranded Stainless Steel
Ring Thickness 2.6mm cable
4mm seal

Diameter

Diameter	Key Capacity*
1" (3cm)	14
1 5/8" (4cm)	22
2" (5cm)	30
3" (7cm)	46
4" (9cm)	66

*Key Capacity is in terms of standard
builders hardware

Tools:

Item
Closer [Black]

Crimper [Yellow]

Cutter [Red]

Other Accessories

Color Coded Control
(Orders are in packages of 50)

Color Options

Assorted
Red
Orange
Yellow
Green
Blue

Key Shield / Asset Shield

Blue
Red